Zeitschrift für

# Parasitenkunde

Parasitology Research

Vol. 71 · 1985

#### **Editors**

B.M. Honigberg H. Mehlhorn H.M. Seitz W. Wülker

### **Editorial Board**

M. Aikawa, Cleveland
I.B.R. Bowman, Edinburgh
A. Capron, Lille
A.G. Chabaud, Paris
G.C. Coles, Amherst
J. Eckert, Zürich
J.K. Frenkel, Kansas City
T.A. Freyvogel, Basel
K.T. Friedhoff, Hannover
R. Gönnert, Wuppertal
P. Götz, Berlin
Ch. Greenblatt, Jerusalem
H. Hoogstraal, Cairo

P. Köhler, Zürich
R.D. Lumsden, New Orleans
G.A. Maekelt, Caracas
E.A. Meuleman, Amsterdam
R. Nussenzweig, New York
E.J. Ruitenberg, Bilthoven
P.M. Schantz, Atlanta
J.D. Smyth, London
E.J.L. Soulsby, Cambridge
R.C.A. Thompson, Murdoch
G.M. Urquhart, Glasgow
C. Vaucher, Genf
K. Vickerman, Glasgow



L. Jenni, Basel

Springer International

#### Zeitschrift für Parasitenkunde

was founded in 1928. Volumes 1–7 named "Zeitschrift für wissenschaftliche Biologie", Dept. F. "Zeitschrift für Parasitenkunde" edited by A. Hase. From Volume 21 edited by G. Piekarski, from Vol. 44 (1974) edited by B.M. Honigberg and G. Piekarski; from Vol. 45 (1974) edited by B.M. Honigberg, G. Piekarski and W. Wülker; from Vol. 53 (1977) edited by J. Eckert, B.M. Honigberg, G. Piekarski and W. Wülker; from Vol. 67 (1982) edited by J. Eckert, B.M. Honigberg, H. Mehlhorn, G. Piekarski, H.M. Seitz and W. Wülker; from Vol. 68 (1982) edited by B.M. Honigberg, H. Mehlhorn, H.M. Seitz and W. Wülker; Organ der Deutschen Gesellschaft für Parasitologie

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not bee published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the

relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the datea of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US\$ 0.20 per page, or a minimum of US\$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0044-3255, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Other regulations: Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors resident in the Federal Republic of Germany or in West Berlin can apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printers: Universitätsdruckerei H. Stürtz AG, Würzburg © by Springer-Verlag Berlin Heidelberg 1985

## Contents

	1/9
Adroher, F.J., s. Gamarro, F., et al.	429
Agarwal, A., Saxena, J.K., Katiyar, J.C., Ghatak, S., Walter, R.D.: Nippostrongylus	
	259
Abmod I. Dispersion to the Control of the Control o	239
Ahmad, J.: Digenetic trematodes of marine fishes from the Arabian Sea. Part 44. Two	
	241
Aitken, P.P., s. Hay, J., et al.	459
Al-Khuwaitir, S.A., s. Mahmoud, A.A., et al.	271
Al Model Le Melmand A.A. et al.	
	271
	271
	747
	249
Amenda M.A III I	
	459
Asanji, M.F., Williams, M.O.: Effect of age and environmental factors on the viability	
and excystment of metacercarial cysts of <i>Parorchis acanthus</i> in vivo and in vitro	595
	249
Association, A., S. I citated Badoux, A., et al.	249
Azevedo, C., Corral, L., Perkins, F.O.: Ultrastructural observations of spore excystment,	
plasmodial development and sporoblast formation in Haplosporidium lusitanicum	
(Haplosporida, Haplosporidiidae)	715
Ball, S.J., Pittilo, R.M.: The ultrastructure of the macrogamete and young oocyst of	, 10
	463
Barbieri, C.L., Brown, K., Rabinovitch, M.: Depletion of secondary lysosomes in mouse	
macrophages infected with Leishmania mexicana amazonensis: A cytochemical study	159
	141
	443
Betschart, B., Rudin, W., Weiss, N.: The isolation and immunogenicity of the cuticle	
of Dipetalonema viteae (Filarioidea)	87
Beveridge, I., Smith, K.: An ultrastructural study of the cirrus and vagina of <i>Phylloboth</i> -	0 /
	609
Bohn, A., König, W.: Characterization of antigens of the nematode Nippostrongylus	
brasiliensis by monoclonal antibodies	663
	649
1/	219
Brouwer, A., s. Meis, J.F.G.M., et al	473
Brown, D.S., s. Southgate, V.R., et al.	61
Descript V. a Darkieri C.I. et al.	9
Brown, K., s. Barbieri, C.L., et al.	
	313
Carroll, S.M., Robertson, T.A., Papadimitriou, J.M., Grove, D.I.: Scanning electron	
microscopy of Ancylostoma ceylanicum and its site of attachment to the small intestinal	
	79
mucosa of the dog	
Castanys, S., s. Gamarro, F., et al	429
Chobotar, B., s. Entzeroth, R., et al.	33
Choromański, L., Beat, D.A., Nordin, J.H., Pan, A.A., Honigberg, B.M.: Further studies	
Christianan, E., Deat, P.A., Protain, var., 1 and A., 10 ingorig, Dan. 1 differ studies	
on the surface saccharides in Trichomonas vaginalis strains by fluorescein-conjugated	
	443
Coltorti, E.A., s. Monzón, C.M., et al.	533
Conn, D.B.: Fine structure of the embryonic envelopes of <i>Oochoristica anolis</i> (Cestoda:	
	(20
Linstowiidae)	639

Cornelisse	n, A.W.C.A., Walliker, D.: Gametocyte development of Plasmodium chabaudi	
in mice	e and rats: evidence for host induction of gametocytogenesis	297
Corral, L.,	, s. Azevedo, C., et al	715
de Jonge,	A.J.R., s. Dikkeboom, R., et al	815
Deelder, A	A.M., El-Dosoky, I., Van Marck, E.A.E., Qian, Z.L.: Immunoflourescent local-	
ization	of Schistosoma mansoni circulating cathodic antigen in tissues of infected mice	
using r	nonoclonal antibody	317
Dikkeboo	m, R., van der Knaap, W.P.W., Maaskant, J.J., de Jonge, A.J.R.: Different	
subpor	pulations of haemocytes in juvenile, adult and Trichobilharzia ocellata infected	
Lymna	ea stagnalis: a characterization using monoclonal antibodies	815
Donnelly,	J., s. Konrad, J., et al	313
Dusanic, I	O.G.: Trypanocidal drugs and the role of kidney forms of Trypanosoma (Herpe-	
tosoma	musculi in immunity of mice against reinfection	19
Eckert, J.,	Ramp, Th.: Cryopreservation of Echinococcus multilocularis metacestodes and	
subseq	uent proliferation in rodents (Meriones)	777
El-Dosoky	y, I., s. Deelder, A.M., et al	317
	, s. Maudlin, I.	683
Entzeroth,	, R., Chobotar, B., Scholtyseck, E., Neméseri, L.: Light and electron microscope	
study o	of Sarcocystis sp. from the fallow deer (Cervus dama)	33
Fournier,	A., Théron, A.: Sectorisation morpho-anatomique et fonctionelle du sporo-	
cyste-fi	ils de Schistosoma mansoni	325
	.K., s. Mehlhorn, H., et al.	689
Fujino, T	., Hirata, M., Ishii, Y., Tsutsumi, H.: Immunocytochemical localization of	
	sociated circulating anodic antigen in Schistosoma japonicum	739
Galvão-Ca	astro, B., s. Morgado, M.G., et al	169
	F., Castanys, S., Ruiz-Perez, L.M., Adroher, F.J., Osuna, A.: Effect of poly-L-	
lysine	and neuraminidase on the infectivity of Trypanosoma cruzi in cultured HeLa	
		429
	F., Osuna, A., Castanys, S., Pérez-López, M.I., Ruiz-Pérez, L.M.: Isolation	
	crification of amastigotes of Trypanosoma cruzi from cultured Vero cells	15
	I.J., s. Raether, W., et al	567
	., s. Agarwal, A., et al	259
	: Ultrastructure of the cysts of Sarcocystis grueneri from cardiac muscle of	
reindee	er (Rangifer tarandus tarandus)	189
	, L.T., Schantz, P.M.: Do Toxocara canis larval antigens used in enzyme-linked	
	osorbent assay for visceral larva migrans cross-react with AB isohemagglutinins	
and giv	ve false positive results?	395
Gobel, E.,	Pan, J.P.: Ultrastructure of the daughter sporocyst and developing cercaria	
	istosoma japonicum in experimentally infected snails, Oncomelania hupensis hu-	
pensis		227
Gobel, E.,	s. Mehlhorn, H., et al.	689
Gottstein,	B., Hemmeler, E.: Egg yolk immunoglobulin Y as an alternative antibody	
in the	serology of echinococcosis (Short communication)	273
	t, Ch.L., Handmann, E., Mitchell, G.F., Battye, F.L., Schnur, L.F., Snary,	
D.: Ph	enotypic diversity of cloned lines of <i>Leishmania major</i> promastigotes	141
Greenblat	t, C.L., s. Millgram, M.A., et al.	699
	I., s. Carroll, S.M., et al.	79
Gupta, S.,	s. Katiyar, J.C., et al.	401
	s. Motzel, W.	519
Habe, S.,	s. Hirai, H., et al.	617
Haines, H	.B., s. McGuire Jr, R.W.	305
Handman	n, E., s. Greenblatt, Ch.L., et al.	141
Hanna, R	E.B., s. Ramasamy, P.	575
Hay, J., A	Aitken, P.P., Arnott, M.A.: The influence of congenital Toxoplasma infection	
on the	spontaneous running activity of mice	459
	HG., s. Vernot-Hernandez, JP.	41
Helwig, M	I., s. Wunderlich, F., et al.	545

Hemmeler, E., s. Gottstein, B.	273
Hernández, A.G., s. Misle, J.A., et al.	419
Heydorn, A.O., s. Mehlhorn, H., et al.	689
Hipkiss, J.B., White, C.J.B.: Ca <sup>2+</sup> inhibition of brush border alkaline phosphatase activity	007
in Hymenolepis diminuta	759
Hipkiss, J.B., s. White, C.J.B.	365
Hirai, H., Sakaguchi, Y., Habe, S., Imai, H.T.: C-banding analysis of six species of	
lung flukes, Paragonimus spp. (Trematoda: Platyhelminthes), from Japan and Korea	617
Hirai, H., Sakaguchi, Y., Tada, I.: Chromosomes of Onchocerca volvulus and O. gutturosa	
Erratum (Short communication)	135
Hirata, M., s. Fujino, T., et al	739
Honigberg, B.M., s. Pan, A.A.	3
Honigberg, B.M., s. Choromański, L., et al	443
Imai, H.T., s. Hirai, H., et al.	617
Irie, Y., Maeda, S., Yasurraoka, K.: Schistosoma japonicum: In vitro killing of schistoso-	
mula by mouse neutrophils	821
Ishii, Y., s. Fujino, T., et al	739
Iwai, K., s. Sato, M., et al.	561
Jackson, R.F., s. Simpson, C.F.	97
Janssen, H.H.: Three epizoic gastropods from Malaysia and the Philippines	553
Jenkins, T., s. Preston, C.M.	373
Kasakova, I., s. Scholtyseck†, E., et al.	435
Katiyar, J.C., Gupta, S., Sen, A.B.: Action of diethylcarbamazine citrate on protective	
immunity in rats infected with Nippostrongylus brasiliensis	401
Katiyar, J.C., s. Agarwal, A., et al	259
Kawabata, Y., s. Sato, M., et al	561
Kimmig, P.: Unterdrückung der Parasitämie bei der Nagetierfilariose (Litomosoides car-	
inii) durch Immunisierung mit BCG und Mikrofilarien. II. Intravenöse Applikation	
von BCG	801
Knowles, R.J., s. Southgate, V.R., et al	61
Ko, R.C., s. Kum, W.W.S.	789
Kock, D., s. Walter, G	107
Kojima, S., s. Sato, M., et al.	561
König, W., s. Pfeiffer, Ph., et al.	649
König, W., s. Bohn, A	663
Konrad, J., Canning, E.U., Phipps, L.P., Donnelly, J.: Maintenance of in vitro cultures	
of Babesia divergens and Babesia major at low temperatures	313
Körting, W., s. Walkey, M.	527
Kouchakji, G.A., Loos-Frank, B.: The validity and morphology of lung mites of the	
genus Pneumocoptes (Acari: Astigmata) (Erratum)	140
Koyama, A., s. Sato, M., et al	561
Kröll, A., s. Michel, R., et al.	277
Kum, W.W.S., Ko, R.C.: Isolation of specific antigens from Angiostrongylus cantonensis	
1. Preparative flatbed isoelectric focusing	789
Kutsumi, H., s. Ohnishi, K., et al.	693
Landsberg, J.H., Paperna, I.: Goussia cichlidarum n.sp. (Barrouxiidae, Apicomplexa),	
a coccidian parasite in the swimbladder of cichlid fish	199
Lloyd, S., s. Losson, B., et al.	383
Loos-Frank, B., s. Kouchakji, G.A.	140
Losson, B., Lloyd, S., Soulsby, E.J.L.: Nematospiroides dubius: Modulation of the host	
immunological responsive	383
Maaskant, J.J., s. Dikkeboom, R., et al	815
Madsen, H.: The effect of Helisoma duryi on the cercarial production of Schistosoma	
mansoni-infected Biomphalaria alexandrina: evaluation of chemical interferences and	-
direct competition	71
Maeda, S., s. Irie, Y., et al.	821
Mahmoud, A.A., Al-Tuwaijri, A., Al-Mofleh, I., Al-Khuwaitir, S.A.: In vitro and in	

vivo isolation of Leishmania tropica from Saudi Arabia (Short communication)	271
Malmherg G s Malmherg M et al	747
Malmberg, M., Andreassen, J., Malmberg, G.: Hymenolepis diminuta: A comparison	
between young developing, and small, destrobilated worms in the rat intestine	747
Márquez, M.E., s. Misle, J.A., et al.	419
Matricon-Gondran, M., s. Pariselle, A	351
Maudlin I Ellis D.S.: Association between intracellular rickettsial-like infections of	
midgut cells and susceptibility to Trypanosome infection in Glossina spp. (Short com-	
munication	683
McGuigan, J.B., Sommerville, Ch.: Studies on the effects of cage culture of fish on	
the parasite fauna in a lowland freshwater loch in the west of Scotland	673
McGuire Jr, R.W., Haines, H.B.: Plasmodium berghei: The influence of blood volume	
changes on the malaria-induced anemia in Balb/C mice	305
Mehlhorn, H., Heydorn, A.O., Frenkel, J.K., Göbel, E.: Announcement of the establish-	
ment of neohepantotypes for some important Sarcocystis species	689
Mehlhorn, H., s. Raether, W., et al.	567
Mehlhorn, H., s. Schmahl, G	727
Meis, J.F.G.M., Verhave, J.P., Brouwer, A., Meuwissen, J.H.E.Th.: Electron microscopic	
studies on the interaction of rat Kupffer cells and Plasmodium berghei sporozoites	473
Mellink, J.J., van den Bovenkamp, W.: In vitro culture of intramolluscan stages of the	
avian schistosome Trichobilharzia ocellata	337
Mermod, C., s. Weber, JM.	631
Meuleman, E.A., s. van der Knaap, W.P.W., et al.	219
Meuwissen, J.H.E.Th., s. Meis, J.F.G.M., et al.	473
Michel, R., Raether, W.: Protonaegleria westphali gen. nov., sp. nov. (Vahlkampfiidae)	
a thermophilic amoebo-flagellate isolated from freshwater habitat in India	705
Michel, R., Raether, W., Schupp, E., Uphoff, M., Kröll, A.: Ultrastructural changes	
of Trichomonas vaginalis prior and after cryopreservation	277
Millgram, M.A., Greenblatt, C.L., Shlomai, J.: Interaction of aminoglycosides and iono-	
phores in the killing of Crithidia fasciculata	699
Misle, J.A., Márquez, M.E., Hernández, A.G.: Solubilization and partial purification	
of a cell surface component of Leishmania braziliensis	419
Mitchell, G.F., s. Greenblatt, Ch.L., et al.	141
Molyneux, D.H., s. Tieszen, K., et al	179
Monzón, C.M., Coltorti, E.A., Varela-Díaz, V.M.: Application of antigens from Taenia	
hydatigena cyst fluid for the immunodiagnosis of human hydatidosis	533
Moorhouse, D.E., s. Pugh, R.E.	765
Morgado, M.G., Van Hoegaerden, M., Galvão-Castro, B.: Antigenic analysis of Trypano-	
soma cruzi strains by crossed immunoelectrophoresis: demonstration and isolation	
of antigens particular to some strains	169
Motzel, W., Haas, W.: Studies on the attachment response of <i>Isthmiophora melis</i> cercariae	
(Trematoda: Echinostomatidae)	519
Nakao, M., s. Ohnishi, K., et al	693
Neméseri, L., s. Entzeroth, R., et al.	33
Neuhaus, W.: Die Arbeitsweise des Bauchsaugnapfes digenetischer Trematoden am Bei-	
spiel des Dicrocoelium dendriticum	53
Nordin, J.H., s. Choromański, L., et al	443
Ohnishi, K., Nakao, M., Kutsumi, H.: Isolation of larval Echinococcus multilocularis	
by injection of infected human hepatic tissue homogenate into the Chinese hamster	693
Osuna, A., s. Gamarro, F., et al	429
Osuna, A., s. Gamarro, F., et al	429
Otubanjo, O.A.: Concinnum epomopis Sandground, 1937 (Dicrocoeliidae) from the pan-	
creas of the West African fruit bat Eidolon helvum in Nigeria	485
Otubanjo, O.A.: Scanning electron microscopic studies of the body surface and external	
genitalia of a dicrocoeliid trematode, Concinnum epomopis Sandground 1973	495
Pan, A.A., Honigberg, B.M.: Leishmania mexicana pifanoi: in vivo and in vitro interac-	
tions between amastigotes and macrophages	3

Contents

Pan, A.A., s. Choromański, L., et al.	443
Pan, J.P., s. Göbel, E.	227
Papadimitriou, J.M., s. Carroll, S.M., et al.	79
Paperna, I., s. Landsberg, J.H.	199
Pariselle, A., Matricon-Gondran, M.: A new type of ciliated sensory receptor in the	
cercariae of Nicolla gallica (Trematoda)	351
Pérez-López, M.I., s. Gamarro, F., et al.	15
Perkins, F.O., s. Azevedo, C., et al.	715
Perrudet-Badoux, A., Anteunis, A., Astesano, A., Ruitenberg, E.J.: Effects of macrophage	
activity on the antibody-dependent cytotoxicity against Trichinella spiralis newborn	
larvae: An in vitro cytotoxicity and ultrastructural study	249
Pfeiffer, Ph., Rauschen, I., Bohn, A., König, W.: IgE synthesis in vitro during infection	
of mice with the nematode Nippostrongylus brasiliensis: Effects of mitogens and anti-	(10
gens	649
Pittilo, R.M., s. Ball, S.J.	313 463
Pool, D.W.: The effect of praziquantel on the pseudophyllidean cestode <i>Bothriocephalus</i>	403
acheilognathi in vitro	603
Preston, C.M., Jenkins, T.: Trichuris muris: Structure and formation on the egg polar	003
plugs	373
Pugh, R.E., Moorhouse, D.E.: Factors affecting the development of Dipylidium caninum	313
in Ctenocephalides felis (Bouché, 1835)	765
Qian, Z.L., s. Deelder, A.M., et al.	317
Rabinovitch, M., s. Barbieri, C.L., et al	159
Raether, W., Seidenath, H., Mehlhorn, H., Ganster, H.J.: The action of salinomycin-Na	
and lasalocid-Na on chloroquine- and mepacrine-resistant line of Plasmodium berghei	
K 173-strain in Wistar rats	567
Raether, W., s. Michel, R., et al.	277
Raether, W., s. Michel, R.	705
Ramasamy, P., Hanna, R.E.B.: The surface topography of Pseudothoracocotyla indica	
(Unnithan, 1956) (Monogenea) from the gills of Scomberomorus commerson	575
Ramp, Th., s. Eckert, J.	777
Rauschen, I., s. Pfeiffer, Ph., et al.	649
Riehl, R., Walldorf, V.: Oogenesis in the pentastomid Raillietiella aegypti (Cephalobaen-	125
ida). II. The egg-shell	125 113
Robertson, T.A., s. Carroll, S.M., et al.	79
Rollinson, D., s. Southgate, V.R., et al.	61
Ross, G.C., s. Southgate, V.R., et al.	61
Rudin, W., s. Betschart, B., et al.	87
Ruitenberg, E.J., s. Perrudet-Badoux, A., et al.	249
Ruiz-Pérez, L.M., s. Gamarro, F., et al	429
Sakaguchi, Y., s. Hirai, H., et al	617
Sato, M., Koyama, A., Iwai, K., Kawabata, Y., Kojima, S.: Human pulmonary dirofila-	
	561
Saxena, J.K., s. Agarwal, A., et al.	259
Schantz, P.M., s. Glickman, L.T	395
Schillinger, G., s. Wunderlich, F., et al	545
Schmahl, G., Mehlhorn, H.: Treatment of fish parasites. 1. Praziquantel effective against	
Monogenea (Dactylogyrus vastator, Dactylogyrus extensus, Diplozoon paradoxum)	727
Schnur, L.F., s. Greenblatt, Ch.L., et al.	141
Schoeman, E., s. Vetter, J.C.M., et al.	539
Scholtyseck†, E., Teras, J., Kasakova, I., Sethi, K.K.: Electron microscope observations	126
on the interaction of Mycoplasma fermentans with Trichomonas vaginalis	435
Scholtyseck, E., s. Entzeroth, R., et al.	33 277
Schupp, E., s. Michel, R., et al.	567

Sen, A.B., s. Katiyar, J.C., et al.	401
Sethi K K s Scholtvseck † F et al	435
Shirley, M.W.: Some observations on the biology of five strains of <i>Eimeria necatrix</i>	287
Shlomai I s Millgram, M.A., et al	699
Simpson, C.F., Jackson, R.F.: Lesions in the liver and kidney of Dirofilaria immitis-	
infected dogs following treatment with ivermectin	97
Skorping, A.: Lymnea stagnalis as experimental intermediate host for the protostrongylid	
nematode Elaphostrongylus rangiferi	265
Sminia, T., s. van der Knaap, W.P.W., et al.	219
Smith, K., s. Beveridge, I	609
Snary, D., s. Greenblatt, Ch.L., et al.	141
Sommerville, Ch., s. McGuigan, J.B.	673
Soulsby, E.J.L., s. Losson, B., et al.	383
Southgate, V.R., Brown, D.S., Rollinson, D., Ross, G.C., Knowles, R.J.: Bulinus tropicus	
from Central Kenya acting as a host for Schistosoma bovis	61
Suzuki, M., s. Waki, S., et al.	213
Tada, I., s. Hirai, H., et al.	135
Taraschewski, H.: Transmission experiments on the host specificity of <i>Heterophyes</i> species	100
in 16 potential definitive hosts	505
Taraschewski, H.: Experimental transmission of Acanthocephalus anguillae (Palaeacantho-	202
cephala)	825
Teras, J., s. Scholtyseck†, E., et al.	435
Théron, A., s. Fournier, A.	325
Tieszen, K., Molyneux, D.H., Abdel-Hafez, S.K.: Ultrastructure of cyst formation in	525
Blastocrithidia familiaris in Lygaeus pandurus (Hemiptera: Lygaeidae)	179
Tsutsumi, H., s. Fujino, T., et al	739
Uphoff, M., s. Michel, R., et al.	277
	337
van den Rovenkamp W. s. Mellink I.I.	
van den Bovenkamp, W., s. Mellink, J.J.	331
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared	331
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stag-</i>	
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815 169
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al	219 815 169 317
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815 169 317 533
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815 169 317
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815 169 317 533 473
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815 169 317 533
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815 169 317 533 473
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor	219 815 169 317 533 473 41
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al.	219 815 169 317 533 473
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous	219 815 169 317 533 473 41 539 539
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i>	219 815 169 317 533 473 41
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm	219 815 169 317 533 473 41 539 539 213
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934	219 815 169 317 533 473 41 539 539
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaen-	219 815 169 317 533 473 41 539 539 213
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages	219 815 169 317 533 473 41 539 539 213 527
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i>	219 815 169 317 533 473 41 539 539 213 527 113 125
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages Walldorf, V., s. Riehl, R.	219 815 169 317 533 473 41 539 539 213 527
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages Walldorf, V., s. Riehl, R. Walliker, D., s. Cornelissen, A.W.C.A. Walter, G., Kock, D.: Records of <i>Ixodes vespertilionis</i> , <i>I. simplex</i> and <i>Argas vespertilionis</i>	219 815 169 317 533 473 41 539 539 213 527 113 125 297
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages Walldorf, V., s. Riehl, R. Walliker, D., s. Cornelissen, A.W.C.A. Walter, G., Kock, D.: Records of <i>Ixodes vespertilionis</i> , <i>I. simplex</i> and <i>Argas vespertilionis</i> (Ixodoidea: Ixodidae, Argasidae) from German bats (Chiroptera)	219 815 169 317 533 473 41 539 539 213 527 113 125 297
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages Walldorf, V., s. Riehl, R. Walliker, D., s. Cornelissen, A.W.C.A. Walter, G., Kock, D.: Records of <i>Ixodes vespertilionis</i> , <i>I. simplex</i> and <i>Argas vespertilionis</i> (Ixodoidea: Ixodidae, Argasidae) from German bats (Chiroptera)	219 815 169 317 533 473 41 539 539 213 527 113 125 297
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Diaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages Walldorf, V., s. Riehl, R. Walliker, D., s. Cornelissen, A.W.C.A. Walter, G., Kock, D.: Records of <i>Ixodes vespertilionis</i> , <i>I. simplex</i> and <i>Argas vespertilionis</i> (Ixodoidea: Ixodidae, Argasidae) from German bats (Chiroptera)	219 815 169 317 533 473 41 539 539 213 527 113 125 297
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Díaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages Walldorf, V., s. Riehl, R. Walliker, D., s. Cornelissen, A.W.C.A. Walter, G., Kock, D.: Records of <i>Ixodes vespertilionis</i> , <i>I. simplex</i> and <i>Argas vespertilionis</i> (Ixodoidea: Ixodidae, Argasidae) from German bats (Chiroptera) Walter, R.D., s. Agarwal, A., et al. Wauters, H.W., s. Vetter, J.C.M., et al.	219 815 169 317 533 473 41 539 539 213 527 113 125 297 107 259 539
van der Knaap, W.P.W., Boots, A.M.H., Meuleman, E.A., Sminia, T.: Search for shared antigens in the schistosome-snail combination <i>Trichobilharzia ocellata-Lymnaea stagnalis</i> van der Knaap, W.P.W., s. Dikkeboom, R., et al. Van Hoegaerden, M., s. Morgado, M.G., et al. Van Marck, E.A.E., s. Deelder, A.M., et al. Varela-Diaz, V.M., s. Monzón, C.M., et al. Verhave, J.P., s. Meis, J.F.G.M., et al. Vernot-Hernandez, JP., Heidrich, HG.: The relationship to knobs of the 92,000 D protein specific for knobby strains of <i>Plasmodium falciparum</i> Vetter, J.C.M., Vingerhoed, J., Schoeman, E., Wauters, H.W.: Chemotatic attraction of infective hookworm larvae of <i>Ancylostoma caninum</i> by a dog serum factor Vingerhoed, J., s. Vetter, J.C.M., et al. Waki, S., Yonome, I., Suzuki, M.: X-ray sensitivity and DNA synthesis in synchronous culture of <i>Plasmodium falciparum</i> Walkey, M., Körting, W.: Thermal alterations of pyruvate kinases in the fish tapeworm <i>Bothriocephalus acheilognathi</i> , Yamaguti, 1934 Walldorf, V., Riehl, R.: Oogenesis in the pentastomid <i>Raillietiella aegypti</i> (Cephalobaenida). I. Previtellogenic and vitellogenic stages Walldorf, V., s. Riehl, R. Walliker, D., s. Cornelissen, A.W.C.A. Walter, G., Kock, D.: Records of <i>Ixodes vespertilionis</i> , <i>I. simplex</i> and <i>Argas vespertilionis</i> (Ixodoidea: Ixodidae, Argasidae) from German bats (Chiroptera)	219 815 169 317 533 473 41 539 539 213 527 113 125 297

Contents	IX

White, C.J.B., s. Hipkiss, J.B.	759
White, C.J.B., Hipkiss, J.B.: The effect of trifluoperazine (stellazine) on Hymenolepis	
diminuta in vitro	365
Williams, M.O., s. Asanji, M.F.	595
Wülker, W.: Changes in behaviour, flight tone and wing shape in nematode-infested	
Chironomus (Insecta, Diptera)	409
Wunderlich, F., Schillinger, G., Helwig, M.: Fractionation of Plasmodium chabaudi-in-	
fected erythrocytes into parasites and ghosts	545
Yasuraoka, K., s. Irie, Y., et al	821
Yonome, I., s. Waki, S., et al.	213
Zahner, H., Wegerhof, P.H.: Immunity to Litomosoides carinii in Mastomys natalensis.	
I. Effect of immunization with microfilariae and existing primary infections on the	
parasitaemia after microfilariae injection and challenge infection	583

Index in Current Contents

